

AMENDED

Nº 27490

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 29 1973

Returned to applicant for correction JUL 6 1973

Corrected application filed AUG 29 1973

Map filed AUG 29 1973

The applicant See Below - In care of Sharp, Krater, Engstrom and Associates, Inc. of 3195 Mill Street, Reno, County of State of Nevada 89502, hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Stanley E. Bailey, Lewis C. Jordan, Keith A. King, Gaylord K. Vasconcellos, Justin W. Livingston, Everett R. Green, Clarence F. Pfeffer, Bert A. Jakobson, Peter Neumann

1. The source of the proposed appropriation is Underground Name of stream, lake or other source.

2. The amount of water applied for is 2 second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for quasi municipal Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).

(b) Stockwater (state number and kinds of animals to be watered).

(c) Other use (describe fully under "No. 12. Remarks").

(d) Power:

(1) Horsepower developed 10-horsepower s/LCJ

(2) Point of return of water to stream Net-Applicable s/LCJ

5. The water is to be diverted from its source at the following point: Northeast one-quarter of the

Southwest one-quarter of Section 3, T. 16N., R. 19E., M.D.B. & M.

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, at a point which bears S. 58° 30' W. 4,805.00 feet from the North-east corner of said Section 3 it should be stated.

6. Place of use sectional subdivisions have not been surveyed. Boundaries Describe by legal subdivision, if on unsurveyed land it should be so stated.

of property surveyed by metes and bounds. Portions of : SW $\frac{1}{4}$ of the NW $\frac{1}{4}$, SE $\frac{1}{4}$ of the NW $\frac{1}{4}$, NW $\frac{1}{4}$ of the SW $\frac{1}{4}$, NE $\frac{1}{4}$ of the SW $\frac{1}{4}$, SW $\frac{1}{4}$ of the NE $\frac{1}{4}$, NW $\frac{1}{4}$ of the SE $\frac{1}{4}$, SE $\frac{1}{4}$ of the NE $\frac{1}{4}$, NE $\frac{1}{4}$ of the SE $\frac{1}{4}$, all in Section 3, T. 16N., R. 19E., M.D.B. & M.

7. Use will begin about 1 January and end about 31 December of each year. Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water will be pumped from a well to serve not more than 9 residences and one or more recreational ponds. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$5,000
10. Estimated time required to construct works 1 year
11. Estimated time required to complete the application to beneficial use 5 years
12. Remarks Amended application includes corrected spelling of some applicants' names, correction to item 5, completion of items 6 and 7 and change of number of residences noted in item 8 from 8 to 9

Send all correspondence to Sharp, Krater, Engstrom and Associates, Inc.

Applicant

By s/Lewis C. Jordan
1060 Cambridge Way
Reno, Nevada 89502

Compared dmc/ga lk/jw

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other groundwater development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 5.919 million gallons annually.

Actual construction work shall begin on or before June 12, 1974

Proof of commencement of work shall be filed before July 12, 1974

Work must be prosecuted with reasonable diligence and be completed on or before June 12, 1975

Proof of completion of work shall be filed before July 12, 1975

Application of water to beneficial use shall be made on or before June 12, 1976

Proof of the application of water to beneficial use shall be filed on or before July 12, 1976

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed
Completion of work filed
Proof of beneficial use filed
Cultural map filed
Certificate No. Issued
Recorded Bk. Page
County Recorder

IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 12th day of December

A.D. 19 73

CANCELLED AUG 28 1975 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER